Appl. No. 09/744,874 Amdt. dated November 3, 2003 Reply to Office Action of July 1, 2003

## IN THE CLAIMS:

Please amend claims 1, 10 and 11 as follows:

1. (Currently Amended) A handle for attaching to a trigger operated hand tool wherein the handle includes:

a shaft adapted so as to be attachable at one end thereof to the hand tool;

a hand grip located at the other end of the shaft;

a trigger activator positioned near the hand grip capable of being operatively connected to the trigger associated with the hand tool;

the hand grip is angled with respect to the longitudinal axis of the shaft to allow the handle to be easily gripped by a person's hand; and

wherein the hand grip includes a second hand grip positioned on the shaft at a point intermediate to the two ends of the shaft, the second hand grip being adjustably positioned slidable along the length of the shaft and selectively detachable along the shaft.

2. (Previously Amended) The handle as claimed in claim 1 wherein the trigger operated hand tool is motorized.

Appl. No. 09/744,874 Amdt. dated November 3, 2003 Reply to Office Action of July 1, 2003

3. (Previously Amended) The handle as claimed in claim 1 wherein the trigger operated hand tool is a nail gun.

4. (Previously Amended) The handle as claimed in claim 1 wherein the length of the shaft is substantially 50cm to 70cm.

5. (Previously Amended) The handle as claimed in claim 1 wherein the shaft includes a clamp at one end thereof capable of holding a nail gun.

6. (Previously Amended) The handle as claimed in claim 1 wherein the trigger activator is in the form of a button or switch.

7. (Previously Amended) The handle as claimed in claim 1 wherein the trigger activator is in the form of a lever.

8. (Previously Amended) The handle as claimed in claim 7 wherein the trigger activator is electrically connected to the trigger mechanism of the hand tool.

3

Appl. No. 09/744,874 Amdt. dated November 3, 2003 Reply to Office Action of July 1, 2003

9. (Previously Amended) The handle as claimed in claim 7 wherein the trigger activator is electrically connected to an electric device configured to be capable of operating the trigger associated with the hand tool.

of a cable is connected to the lever such that pivoting of the lever causes the relative length of the cable to increase or decrease to control activation of the trigger associated with the nail gunhand tool.

11. (Currently Amended) The handle as claimed in claim 10 wherein the cable is attached at its opposite end to a second lever which is pivoted via the relative shortening or lengthening of the cable, to control activation of the trigger associated with the nail gunhand tool.

12. (Canceled)

13. (Canceled)